The grant with the grant of the

BLASTP ALIGNMENT OF C-TYPE LECTIN RECEPTOR-LIKE WITH MOUSE MACROPHAGE C-TYPE LECTIN

Score = 412 (145.0 bits), Expect = 1.2e-37, P = 1.2e-37

Identities = 85/215 (39%), Positives = 119/215 (55%), Frame = +1

EEPQDREKGLWWFQLKVWSMAVVSILLLSVCFTVSSVVPHNFMYSKTVKRLSKLREYQQY 234 52 C-Type Lectin Receptor-Like:

Z ⊱ ++H A++ CF ĽS AVVSI ŎΓ EE Q + KG 09 EESQMKSKGTRHPQLIPCVFAVVSISFLSACFISTCLVTHHYFLRWTRGSVVKLSDY---

4

Macrophage C-Type Lectin:

235 HSSLTCVME----GKDIEDWSCCPTPWTSFQSSCYFISTGMQSWTKSQKNCSVMGADLVV 402

Q+W +S++NCS M + LV W+CCP W +FQS+CYF Ü 口 H+ +TC+ C-Type Lectin Receptor-Like: SEQ ID NO. 4

61 HTRVTCIREEPQPGATGGTWTCCPVSWRAFQSNCYFPLNDNQTWHESERNCSGMSSHLVT 120 Macrophage C-Type Lectin:

403 INTTEEHDFIIHNLKRNSSYFLGLSHPRGRRHWQWVDHTPYNENVTFWHSGEPNN-LDER 579 + N Œ FW + WQWVD TP+N SYFIGI+ + 기 日 + 王+ INI C-Type Lectin Receptor-Like: SEQ ID NO. 4

121 INTEAEQNEVTQLLDKRFSYFLGLADENVEGQWQWVDKTPFNPHTVFWEKGESNDFMEED 180 Macrophage C-Type Lectin:

580 CAIINERSSQEWGWNDIHCHVPHKSICEMKKIYIYMKYS 696 C-Type Lectin Receptor-Like: SEQ ID NO. 4

181 CVVL-VHVHEKWVWNDFPCHFEVRRICKLPGITFNWKPS 218

ഗ ×

+ IC++

CH

H+W WND

C ++

Macrophage C-Type Lectin:

And the fact of given in own in the fact that the fact that the fact in the fact that the fact in the fact that the fact in the fact that the

BLASTP ALIGNMENT OF C-TYPE LECTIN RECEPTOR-LIKE WITH DENDRITIC CELL IMMUNORECEPTOR

Score = 529 (186.2 bits), Expect = 4.8e-50, P = 4.8e-50

Identities = 93/188 (498), Positives = 130/188 (698), Frame =

+

118 VVSILLLSVCFTVSSVVPHNFMYSKTVKRLSKLREYQQYHSSLTCVMEGKDIED--WSCC 291

C-Type Lectin Receptor-Like:

SEQ ID NO.

LLL++ F ++ V+ + K + L K + H++L CV + +E+ WSCC

51 LIFFLLLAISFFIAFVI----FFQKYSQLLEKKTTKELVHTTLECVKKNMPVEETAWSCC 106 Dendritic Cell Immunoreceptor:

292 PTPWTSFQSSCYFISTGMQSWTKSQKNCSVMGADLVVINTTEEHDFIIHNLKRNSSYFLG 471

SEQ ID NO.

S+YF+G NI+ S+K+C+ M A L+VINT EE DFI MS SF S+CYFIST S Д C-Type Lectin Receptor-Like:

Dendritic Cell Immunoreceptor: 107 PKNWKSFSSNCYFISTESASWQDSEKDCARMEAHLLVINTQEEQDFIFQNLQEESAYFVG 166

472 LSHPRGRRHWQWVDHTPYNENVTFWHSGEPNNLDERCAIINFRSS-QEWGWNDIHCHVPH 648

SEQ ID NO.

LS P G+RHWQWVD TPYNE+ TFWH EP++ +ERC ++NFR S + WGWND++C C-Type Lectin Receptor-Like:

Dendritic Cell Immunoreceptor: 167 LSDPEGQRHWQWVDQTPYNESSTFWHPREPSDPNERCVVLNFRKSPKRWGWNDVNCLGPQ 226

649 KSICEMKKIYI 681

+S+CEM KI++

C-Type Lectin Receptor-Like:

SEQ ID NO. 4

Dendritic Cell Immunoreceptor: 227 RSVCEMMKIHL 237

FIG. 2

And the first of t

BLASTP ALIGNMENT OF C-TYPE LECTIN RECEPTOR-LIKE WITH C-TYPE LECTIN DDB27

Score = 529 (186.2 bits), Expect = 4.8e-50, P = 4.8e-50

Identities = 93/188 (49%), Positives = 130/188 (69%), Frame = +1

SEQ ID NO. 4 C-Type Lectin Receptor-Like:

DDB27:

118 VVSILLLSVCFTVSSVVPHNFMYSKTVKRLSKLREYQQYHSSLTCVMEGKDIED--WSCC 291

++ LLL++ F ++ V+ + K + L K + H++L CV +

MSCC

+ 日 + 51 LIFFLLLAISFFIAFVI----FFQKYSQLLEKKTTKELVHTTLECVKKNMPVEETAWSCC 106

SEQ ID NO. 4 C-Type Lectin Receptor-Like:

DDB27:

292 PIPWTSFQSSCYFISTGMQSWTKSQKNCSVMGADLVVINTTEEHDFIIHNLKRNSSYFLG 471 P W SF S+CYFIST SW S+K+C+ M A L+VINT EE DFI NL+ S+YF+G

107 PKNWKSFSSNCYFISTESASWQDSEKDCARMEAHLLVINTQEEQDFIFQNLQEESAYFVG 166

SEQ ID NO. 4 C-Type Lectin Receptor-Like:

472 LSHPRGRRHWQWVDHTPYNENVTFWHSGEPNNLDERCAIINFRSS-QEWGWNDIHCHVPH 648

LS P G+RHWQWVD TPYNE+ TFWH EP++ +ERC ++NFR S + WGWND++C P

DDB27:

167 LSDPEGQRHWQWVDQTPYNESSTFWHPREPSDPNERCVVLNFRKSPKRWGWNDVNCLGPQ 226

SEQ ID NO. 4

649 KSICEMKKIYI 681

+S+CEM KI++

C-Type Lectin Receptor-Like:

DDB27:

227 RSVCEMMKIHL 237

FIG. 3

And had been been to great the spine print, many parts to grow for general

CARBOHYDRATE RECOGNITION DOMAIN) LECTIN RECEPTOR-LIKE, SUPERFAMILY MEMBER 6 BLASTP ALIGNMENT OF C-TYPE (CALCIUM DEPENDENT,

Score = 448 (157.7 bits), Expect = 1.8e-41, P = 1.8e-41

+ Identities = 92/209 (44%), Positives = 130/209 (62%), Frame =

C-Type Lectin Receptor-Like: SEQ ID NO.

49 PEEEP-QD-REKGLWWFQLKVWSMAVVSILLLSVCFTVSSVVPHNFMYSKTVKRLSKLRE 222

YS+ ++ I + S+ ++ +LLL++ F V+ ++ G P E+P +D R+

Mouse C-Type:

29 PREKPIRDLRKPGSP--SLLLTSLMLL-LLLLAITFLVAFIIYFQ-KYSQLLEEKKAAKN 84

C-Type Lectin Receptor-Like: SEQ ID NO. 4

223 YQQYHSSLICVMEGKDIED--WSCCPTPWTSFQSSCYFIST--GMQSWTKSQKNCSVMGA 390 SW KS++NCS MGA S CY + T Ĺτι × WSCCP +ED H+ I C

Mouse C-Type:

85 IM--HNELNCTKSVSPMEDKVWSCCPKDWRLFGSHCYLVPTVSSSASWNKSEENCSRMGA 142

SEQ ID NO. 4

391 DLVVINTTEEHDFIIHNLKRNSSYFLGLSHPRGRRHWQWVDHTPYNENVTFWHSGEPNNL 570

LVVI + EE DFI C-Type Lectin Receptor-Like:

L +++YF+GL

G R WQWVD TPY E++TFWH+GEP++

Mouse C-Type:

143 HLVVIQSQEEQDFITGILDTHAAYFIGL-WDTGHRQWQWVDQTPYEESITFWHNGEPSSG 201

SEQ ID NO. 4

C-Type Lectin Receptor-Like:

571 DERCAIINFRSSQEWGWNDIHCHVPHKSICEMKKI 675

WGWNDI C + KS+C+MKKI +E+CA I +R

Mouse C-Type:

202 NEKCATIIYRWKTGWGWNDISCSLKQKSVCQMKKI 236